



AVANTAGE®

LARGE AMOUNT OF HUMIFIED ORGANIC CARBON (HUMIC AND FULVIC CARBON)

easy Fert®

**ORGANO-MINERAL FERTILIZER
NP 6 - 12**

EASY FERT is an organo-mineral NP fertilizer recommended for **corn, sorghum, durum wheat and soft wheat, barley, oat, sunflower, alfalfa, sugar beet** in soils with good levels of available and exchangeable potassium.

Organic matrices (dried poultry manure and composted green soil improver) together with a mixture of organic fertilizers are intimately bound with urea, NP mineral fertilizers (diammonium phosphate and natural soft phosphate) resulting into a fertilizer with a **high organic carbon amount**, rich in **humic and fulvic acids**, able to ensure the optimal protection of **nitrogen** and **phosphorus**, enhancing the potential and nutrient efficiency for optimal agronomic yield.

This fertilizer can therefore lead to:

- **high and extended nutrient availability** for the entire crop cycle;
- **reduction of losses** due to insolubility or retrogradation, caused by chemical/physical antagonism of the soil;
- **saving in fertilizer usage** in relation to crop requirements and soil fertility levels;
- **reduced pollution of groundwater**, being protected from leaching.



Packaging: kg 25-500

Shape: minipellets/granules

NPK ratio: 1 : 2 : 0

Manufactured by



Unimer S.p.A.

Via Paleocapa, 7 - 20121 Milano

Approval Number:
Plant of Vidor:
ABP1193UFERT2
Plant of Arquata del Tronto:
ABP1177UFERT2

**COMPANY WITH
SYSTEM CERTIFIED
BY DNV • ISO 9001**



**ORGANO-MINERAL FERTILIZER
NP 6 - 12**

COMPOSITION	
N total	6%
of which: N organic	2%
N ammoniacal	1,5%
N ureic	2,5%
P ₂ O ₅ total	12%
of which: P ₂ O ₅ neutral amm. citrate and water soluble	4%
P ₂ O ₅ water soluble	1%
Organic Carbon (C)	12%
Humic and fulvic Carbon (C)	3%

- **Mineral fertilizers:** urea, NP 18-46 (diammonium phosphate), natural soft phosphate.
- **Organic components:** dried poultry manure, green composted soil conditioner.

Reference guidelines for individual crops are purely illustrative and are changeable, in relation to the needs, the fertility levels and the provisions of various regulations.

For organic and organo-mineral fertilizers it is recommended to place the product slightly underground to enhance the nutritional efficacy.

DOSES BY CROP		
CROP	DOSE Kg/ha	USE
Corn and sorghum	400-600	During the last pre-sowing operations or localized at sowing
Wheat and other cereals	300-500	During the last pre-sowing operations or localized at sowing

DOSES BY CROP		
CROP	DOSE Kg/ha	USE
Industrial, oil and protein crops	400-600	During the last pre-sowing operations or localized at sowing
Beetroot and alfalfa	500-700	During the last pre-sowing operations or localized at sowing
Tobacco	400-600	During soil preparation or localized pre-transplanting
Horticultural	400-500	During soil preparation or localized pre-sowing/transplanting
Strawberry	300-600	During soil preparation or localized pre-transplanting
Viticulture and olive trees	400-600	At the end of the harvest and/or end of winter
Fruit trees	500-700	At the end of the harvest and/or end of winter
Flower and ornamental crops and recreational lawns	400-600	At vegetative revival or pre-sowing/transplanting